



City Research Online

City St George's, University of London

Citation: Goodwin, S., Dykes, J. & Slingsby, A. (2014). Visualizing the Effects of Scale and Geography in Multivariate Comparison. Poster presented at the IEEE Conference on Visual Analytics Science and Technology, 09-11-2014 - 14-11-2014, Paris, France.

This is the other version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://city-ref-test.eprints-hosting.org/id/eprint/3876/>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).


Visualizing the effects of Scale and Geography in Multivariate Comparison

Sarah Goodwin, Jason Dykes and Aidan Slingsby - giCentre, City University London, UK


The comparison of geographically varying phenomena is both position and scale dependent. We propose a framework to compare multivariate data across multiple scales whilst allowing local geographical variations and the effects of their parameters to be explored. The statistical (top row) and geographical (bottom row) visualization possibilities adapt as the number of variables (V) and/or the number of local summary statistics (L) increase. An interactive visualization prototype has been built to demonstrate the framework, with aspects (1 - 8) highlighted. Matrices of scatterplots [1], correlation maps or color encoded statistical values (i.e correlation coefficient (CC) and skewness) are utilized to allow as many V as possible to be shown in one view:

Visualizing the FRAMEWORK:

	DISTRIBUTION	CORRELATION		
	V = 1	V = 2	V = FEW	V = MANY
GLOBAL L = 1	1 Histogram or Dot/Box Plot Map (Choropleth) of Raw Values 2	3 Scatterplot Pair of Maps or Difference Map	Scatterplot Matrix Series of Maps or Difference Maps	4 Color Encoding Color Encoding
MACRO-LOCAL L = FEW	Series of Histograms or Dot/Box Plots Map (Choropleth) of L Values	Scatterplot colored by L Values Pair of Maps or Correlation Map	Scatterplot Matrix colored by L Values Correlation Map Matrix	5 Less Data Items (Aggregate Vx or Sx) (Filter: SE) 6 High Data Density (Galaxy Theory) More Pixels
MICRO-LOCAL L = MANY	Dot/Box Plots or Color Encoding Map (Choropleth) of L Values	5 Scatterplot colored by L Values Pair of Maps or Correlation Map 6	7 Less Data Items (Aggregate Vx or Sx) (Filter: SE) 8 High Data Density (Galaxy Theory) More Pixels	




Varying SCALE RESOLUTION:




The framework is investigated in the context of 'variable selection' for energy-based geodemographic classification [2,3]. Four stages (Input, Analysis, Locality and Output) are identified in which Scale Resolution (SR) and Extent (SE) [4,5] can be varied. 78 variables are compared over 4 geographical aggregations (SR) covering a SE of England: NUTS2 European Regions (30), Local Authority Districts (326 LADs), Lower Super Output Areas (32,844 LSOAs) and Output Areas (171,372 OAs). The sensitivities and complexities of varying SR are investigated through visualization:

AGGREGATION Visualizing the color encoded global correlation coefficient reveals correlations that are sensitive to geographical aggregation:



LOCALITY


Var 1 v Var 2: Global: -0.32



.... allows for the calculation of local summary statistics (macro or micro). TYPEs are based on geographically weighted statistics [6].

Here, an adaptive moving window is used to calculate local correlation coefficients.

The number (N) of nearest neighbours is adjusted to reveal more detailed local variations when comparing variable pairs (left) or multiple (right):



SUMMARY

This framework and prototype visualization enables the visual comparison of multivariate distributions and correlations across geographical scales and allows for local variations to be explored. The visual representations used in this case-study can be adapted to compare the effects of scale resolution and scale extent that occur when we aggregate and filter by time or attribute as well as geography in our analysis.



CITY UNIVERSITY
LONDON

gicentre.org

Conference Paper: openaccess.city.ac.uk/3876

- [1] M. Monmonier. Geographic Brushing: Enhancing exploratory analysis of the scatterplot matrix. *Geographical Analysis*, 21(1): 81-84, 1989
- [2] S. Goodwin and J. Dykes. Visualizing Variations in Household Energy Consumption. In *IEEE Conference on VAST 2012*, pages 217-218, Oct 2012
- [3] R. Harris, P. Sleight, and R. Weber. *Geodemographics: GIS and Neighbourhood Targeting*. Wiley-Blackwell, 2005.
- [4] N. Lam and D. A. Quattrochi. On the issues of Scale, Resolution and Fractal Analysis in the Mapping Sciences. *The Professional Geographer*, 44(1):88-98, 1992.
- [5] C. Turkey, A. Slingsby, H. Hauser, J. Wood, and J. Dykes. Attribute signatures: Dynamic Visual Summaries for Analyzing Multivariate Geographical Data. *IEEE TVCG*, Dec 2014.
- [6] P.Harris, C. Brunson, and M. Charlton. Geographically Weighted Principal Components Analysis. *Int. Journal of Geographical Information Science*, 25(10): 1717-1736, 2011.