



City Research Online

City St George's, University of London

Citation: Forster, B. & Gillmeister, H. (2009). VIEWING FINGERS OF THE SAME HAND CAN DISTURB TACTILE ATTENTIONAL SELECTION. PSYCHOPHYSIOLOGY, 46, S121 - S121.

This is the accepted version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://city-ref-test.eprints-hosting.org/id/eprint/4548/>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).

**VIEWING FINGERS OF THE SAME HAND CAN DISTURB TACTILE
ATTENTIONAL SELECTION**

Bettina Forster, & Helge Gillmeister

City University London

Descriptors: tactile, attention, somatosensory erps

Viewing the body has been shown to enhance tactile spatial resolution by modifying the cortical representation of the viewed body part in primary somatosensory cortex (S1). Here we report that vision can have detrimental effects on tactile spatial processing when adjacent body parts that compete for attentional selection are viewed simultaneously. In Experiment 1, we used somatosensory event-related potentials (ERPs) to demonstrate that viewing two fingers of the same hand substantially delays selecting one over the other. Importantly, a detrimental effect of vision does not arise when selecting between fingers of different hands. In Experiment 2, we replicated the within-hand selection task and manipulated hand posture. We found that the detrimental effect of vision on tactile attentional selection depends on the separation of adjacent fingers in external space. Taken together, we propose that visual exposure disturbs tactile selection by smearing the cortical boundaries of adjacent finger representations in S1, only, when these are viewed close together.