



City Research Online

City St George's, University of London

Citation: Dillingham, I., Dykes, J. & Wood, J. (2012). Characterising Locality Descriptions in Crowdsourced Crisis Information. Paper presented at the GIS Research UK 20th Annual Conference (GISRUK 2012), 11 - 13 Apr 2012, Lancaster University, Lancaster, UK.

This is the draft version of the paper.

This version of the publication may differ from the final published version. To cite this item please consult the publisher's version.

Permanent repository link: <https://city-ref-test.eprints-hosting.org/id/eprint/892/>

Copyright and Reuse: Copyright and Moral Rights remain with the author(s) and/or copyright holders. Copies of full items can be used for personal research or study, educational, or not-for-profit purposes without prior permission or charge, unless otherwise indicated, provided that the authors, title and full bibliographic details are credited, a hyperlink and/or URL is given for the original metadata page and the content is not changed in any way. For full details of reuse please refer to [City Research Online policy](#).

Dillingham, I., Dykes, J. & Wood, J. (2012). Characterising Locality Descriptions in Crowdsourced Crisis Information. Paper presented at the GIS Research UK 20th Annual Conference (GISRUK 2012), 11 - 13 Apr 2012, Lancaster University, Lancaster, UK.



**CITY UNIVERSITY
LONDON**

[City Research Online](#)

Original citation: Dillingham, I., Dykes, J. & Wood, J. (2012). Characterising Locality Descriptions in Crowdsourced Crisis Information. Paper presented at the GIS Research UK 20th Annual Conference (GISRUK 2012), 11 - 13 Apr 2012, Lancaster University, Lancaster, UK.

Permanent City Research Online URL: <http://openaccess.city.ac.uk/1082/>

Copyright & reuse

City University London has developed City Research Online so that its users may access the research outputs of City University London's staff. Copyright © and Moral Rights for this paper are retained by the individual author(s) and/ or other copyright holders. Users may download and/ or print one copy of any article(s) in City Research Online to facilitate their private study or for non-commercial research. Users may not engage in further distribution of the material or use it for any profit-making activities or any commercial gain. All material in City Research Online is checked for eligibility for copyright before being made available in the live archive. URLs from City Research Online may be freely distributed and linked to from other web pages.

Versions of research

The version in City Research Online may differ from the final published version. Users are advised to check the Permanent City Research Online URL above for the status of the paper.

Enquiries

If you have any enquiries about any aspect of City Research Online, or if you wish to make contact with the author(s) of this paper, please email the team at publications@city.ac.uk.

Characterising Locality Descriptions in Crowdsourced Crisis Information

Characterising Locality Descriptions in
Crowdsourced Crisis Information

Iain Dillingham, Jason Dykes and Jo Wood

giCentre, City University London

GISRIUK 2012

- Who?
- Where?
- What?

└ Why did we undertake this research?

- Humanitarian organisations are reluctant to use social media during a crisis
- Ushahidi uses crowdsourcing to evaluate trust and accuracy, but crowdsourcing introduces further uncertainty
- We're interested in evaluating the uncertainty, and the potential bias, in crowdsourced crisis information

- Social media are an important source of information during a crisis.
- Humanitarian organisations are reluctant to use this information in the response effort because untrustworthy and inaccurate information can cost lives.
- Organisations such as Ushahidi use crowdsourcing to address these concerns, but crowdsourcing introduces further uncertainty.
- We're interested in evaluating the uncertainty, and the potential bias, in crowdsourced crisis information.
- Crowdsourced crisis information is highly geographic; there are several characteristics of uncertainty relevant to geographic information (including trust and accuracy).
- We started with accuracy.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─What were our research questions?

What were our research questions?

1. What types of locality descriptions are present in crowdsourced crisis information?
2. Are the proportions of these types different to those present in related datasets?

1. What types of locality descriptions are present in crowdsourced crisis information? (i.e. classification)
2. Are the proportions of these types different to those present in related datasets? (i.e. comparison)

└─ How did we address our research questions?

1. Classify
2. Compare

- We classified locality descriptions in about 3,600 incident reports related to the 2010 earthquake in Haiti.
- We used a classification that was developed alongside a georeferencing method (the point-radius method). Why?
 - The method was developed to georeference locality descriptions.
 - It provides an estimate of the uncertainty associated with the georeferencing process.
 - It has been applied to a variety of related datasets:
 - ▶ Records of artefacts in natural history collections; these records are stored in MaNIS (the Mammal Networked Information System).
 - ▶ Historical records of search and rescue incidents.
- We compared the Haiti and MaNIS datasets.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└ How did we address our research questions?

How did we address our research questions?
Classification

Code	Category
U	Unsure
C	Coordinates
F	Feature
P	Path
J	Junction
FOH	Offset from a feature or path at a heading
NF	Near a feature or path
FS	Subdivision of a feature or path
FOO	Orthogonal offsets from a feature
FH	Heading from a feature, no offset
FO	Offset from a feature or path, no heading
BF	Between features or paths

Table: Combined classification of locality descriptions

- Two papers discuss the categories of locality descriptions in the MaNIS dataset. The categories they identify are slightly different. We combined them. Our combined classification has 12 categories.
- Three participants independently classified the locality descriptions in the Haiti dataset. (The classification process took about 4 hours for each participant to complete.)
- The order of the locality descriptions was randomised for each participant.
- Each participant was guided by the definitions in the table and examples from the MaNIS dataset.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─What did we find?

What did we find?
Classification




Figure: Category frequency by participant, Haiti dataset

Here we see the frequency of locality descriptions in each category, by each participant, for the Haiti dataset.

- 'Feature' is 1st for all participants.
- 'Path' is 2nd for P1 and P2, 3rd for P3.
- 'Unsure' is 2nd for P3, 3rd for P1 and 5th for P2.

Using *Fleiss' kappa*, we tested the degree to which the observed amount of agreement between the participants exceeded what would be expected if each participant were to categorise each locality description at random.

- $\kappa = 0.42$ ('moderate agreement')

(Poor; Slight; Fair; **Moderate**; Substantial; Almost perfect)

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─What did we find?

What did we find?
Classification

Code	Frequency
F	2570
U	419
P	295
NF	160
FS	57
C	37
J	34
BF	17
FH	13
FOH	3
FO	1
FOO	0

Table: Category frequency, Haiti dataset

Method:

- We classified partial agreement cases by simple majority vote.
- We classified disagreement cases as 'Uncertain'.

Here we see the frequency of locality descriptions in each category, for the Haiti dataset.

- Most cases (about 71%) are 'Feature'.
- 419 cases (about 12%) are 'Uncertain'.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─What did we find?

What did we find?
Comparison




Figure: Category proportion, MaNIS and Haiti datasets

Method:

- We removed all 'Uncertain' and 'Coordinates' cases (about 13% of the Haiti dataset) to allow a like-for-like comparison with the MaNIS dataset.

Here we see the proportion of locality descriptions in each category, for the MaNIS and Haiti datasets.

- Like the MaNIS dataset, most locality descriptions in the Haiti dataset describe features. However, the proportions are very different (MaNIS about 51%; Haiti about 82%).
- There are similar proportions of paths (about 9%) and junctions (about 1%).

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─What did we find?

What did we find?
Comparison

Code	MaNIS (#)	Haiti (#)	MaNIS (%)	Haiti (%)
F	1	1	51.0	81.0
P	3	2	8.6	9.4
NF	5	3	6.2	5.1
PS	4	4	7.2	1.8
J	8	5	0.8	1.1
BF	10	6	0.2	0.5
FH	7	7	3.2	0.4
FOH	2	8	18.2	0.1
FO	9	9	0.4	0.0
FOO	6	10	5.2	0.0

Table: Category rank and proportion, MaNIS and Haiti datasets

Here we see the rank and proportion of locality descriptions in each category, for the MaNIS and Haiti datasets, ordered by the Haiti dataset.

- 0.5% of locality descriptions in the Haiti dataset contain offsets and headings (FH, FOH, FO, FOO—the lower four rows). The figure is 27.0% for the MaNIS dataset.
- 91.0% of locality descriptions in the Haiti dataset are either features or paths (F, P—the upper two rows). The figure is about 60% for the MaNIS dataset.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└─ How did we interpret what we found?

How did we interpret what we found?

Rare in the Haiti dataset:

- ▶ "West of..."
- ▶ "10km north of..."
- ▶ "5km outside of..."
- ▶ "1km north, 3km west of..."

- Location is seldom described using offsets and headings in the Haiti dataset. (FH, FOH, FO, FOO)
- Location is often described in terms of features (such as named places) and paths (such as roads). (F, P)

└─ How did we interpret what we found?

Common in the Haiti dataset:

- ▶ e.g. "Lilavois 47", "Santo"
- ▶ e.g. "Rue Pierre Anselme", "Route de Tabarre"

- This finding appears to conform previous research: 'nature' and 'phase' affect the information about an emergency event. For example, during the impact and recovery phases, information from social media contains a high proportion of GI, and this GI relates to well-defined geographic objects (Vieweg et al., 2010). This finding might generalise!
- The uncertainty associated with georeferencing features and paths should be less than that associated with offsets and headings, as they have to be offsets and headings from somewhere.
- If we were to georeference the locality descriptions in the Haiti dataset, we could expect reasonably accurate results. We could compare these results to the locations produced by crowdsourcing to evaluate one aspect of the uncertainty in crowdsourced crisis information.

└─ How did we interpret what we found?

Ambiguity The doubt associated with the classification of a phenomenon (Fisher, 1999).

Vagueness The problem of definition; the Sorites Paradox (Fisher, 1999).

Precision The amount of detail (Veregin, 1999).

- Remember *Fleiss' kappa*? There was 'moderate agreement' between the participants. (For example, about 12% of cases in the Haiti dataset are 'Uncertain'.) In other words, *ambiguity* presents a significant challenge.
- About 5% of the Haiti dataset are 'Near a feature or path'. So, there is also *vagueness*. Anecdotally, there are many *vague places* such as references to IDP (Internally Displaced Person) camps (*vernacular geography* and *naïve geography*).
- We didn't investigate the *precision* (resolution, scale) of locality descriptions.

└ Conclusions

- Locality descriptions tend towards more, rather than less, certain locations
- There could be a basis for comparison
- But it's complex!

- Locality descriptions in the Haiti dataset favour more certain locations (e.g. features, paths) rather than less certain locations (e.g. that contain offsets and headings).
- Georeferencing these locality descriptions could provide a basis for comparison with the locations produced by crowdsourcing.
- But ambiguity and vagueness present significant challenges: It's complex!

└ Future work

- Alternative sources of information (e.g. OpenStreetMap)
- Related datasets (e.g. Libya)
- Geovisualization tool: Exploration and analysis (EventExplorer)

We plan to:

- use alternative sources of information (e.g. OpenStreetMap) to reduce ambiguity and vagueness, and explore precision;
- explore related datasets (e.g. Libya);
- develop a geovisualization tool for exploration and analysis.

Characterising Locality Descriptions in Crowdsourced Crisis Information

└ Contact

Contact

ian.dillingham.1@city.ac.uk
dillingham.me.uk

giCentre
School of Informatics
City University London
Northampton Square
London
EC1V 0HB

We would like to thank:

- Roger Beecham and Sarah Goodwin;
- those behind the Haiti Crisis Map;
- the anonymous reviewers.